

Huron School District

Bullying Prevention Data Collection 2022-2023 School Year

The superintendent is responsible to monitor the effectiveness of the bullying/harassment prevention efforts and the timely reporting to the Board of Education. The principal will annually report to the superintendent the number and type of complaints investigated under this policy and the results, including disciplinary actions taken and the effectiveness of those actions, including follow-up contacts. The documentation supplied by the building principals will be reviewed by central administration to coordinate data district-wide and formulate a comprehensive report. The report will include the number and type of complaints filed under this policy with comparative data from previous years as it becomes available. The report may also include district-wide or individual building survey results related to bullying and harassment.

	Number of Alleged Incidents	Number of Founded Incidents	Disciplinary Actions					Location					
			Conference	Detention	Suspension	Expulsion	Other	Hallway	Classroom	Lunch Room	Bus	Technology	Other
September	5	2	2				1	1	1	1			1
October	4	1	2				1	1	2				
November	2	0											
December	2	1	1					1					
January	2	0											
February	8	2	2					2					1
March	6	2	2		2			1	1		1	1	
April	2	2						2	2			2	
May	2	0											
TOTAL	33	10	9	0	2	0	1	8	6	1	1	3	2
TOTAL 2021-22	56	38	23	0	5	0	5	2	19	4	5	3	9
TOTAL 2020-21	20	9	11	4	2	0	5	5	3	3	2	2	3
TOTAL 2019-20	40	12	14	2	1	0	1	8	11	2	4	8	6
TOTAL 2018-19	46	9	18	4	0	0	11	7	15	3	1	4	2
TOTAL 2017-18	49	16	26	4	5	0	18	8	16	7	2	7	8
TOTAL 2016-17	44	15	23	3	2	0	9	4	8	8	0	4	6
TOTAL 2015-16	31	12	16	6	0	0	11	3	13	6	1	4	6

Based on number of founded incidents

How many perpetrators were identified 12

How many victims were identified 16

Bullying prevention program plan for each building:

Buchanan K/1 Center:

- The School Counselor uses Choose Love as her Curriculum for classroom lessons.

Madison 2/3 Center:

- Classroom counseling lessons, small group and individual counseling.

Washington 4/5 Center:

- Bullying Prevention Activities during the month of October provided in specials time during Social Skills class and also with classroom visits from Mr. Johnson (counselor).
- Bullying Awareness Activities during social skills class throughout the year, Choose Love Movement Curriculum.
- Daily announcement reminder to be kind
- Bullying is discussed on announcements during the month of October (social skill of the week).

HMS: Good afternoon!

I am sending this information out now since I will be gone for the rest of the week. Below is a video I would like you to play for your homeroom students on Friday October 7th to kickstart the educational portion of what we are doing for bullying prevention month. After the video you will do a scavenger hunt within your classroom with your students. I have packets all ready to go and Rita will put them in your mailbox on Friday (September 30th) so you have them a week ahead of time. I will be back on October 4th so if you have questions or need anything before you do the activities with the students on the 7th I will be around to help.

[BEST Anti-BULLYING Video for Students - YouTube](#)



[BEST Anti-BULLYING Video for Students](#)

Top School Motivational Speaker Jeremy Anderson, gives a gripping and timely message about bully. This powerful bullying message should be shared across the globe. To book Jeremy for your school or university visit his website:

<https://www.jeremyanderson.org>

www.youtube.com

Each week I will make sure you have the materials by the Friday before you need them. Here is the schedule for 7th grade homeroom for the rest of October and into November.

October 7th: Video and Scavenger Hunt

October 14th: What Would You Do? Scenarios and go over Bullying Policy and Report Forms

October 21st: Bullying/Upstander Escape Room

October 28th : Work on Veterans Day Posters

November 4th: Work on Veterans Day Posters

November 11th: Veterans Day (No School)

November 18th : Homeroom Kindness Project (we moved this to allow more time to work on Veteran's Day Posters)

Thank you for all your help with this!

Heather Sieh

Students are taught about district bullying forms at the beginning of the school year.

Homeroom activities come from the counseling office weekly- Choose Love curriculum.

7th and 8th grade students work with counselors to provide mentoring for students at the Madison 2/3 Center.

Climate surveys are administered each spring to evaluate concerns at HMS. Data is reviewed annually.

HMS counseling office hosted and Kindness Challenge in January. Students were asked to report acts of kindness to the office for prize drawings to be held weekly.

HHS: Bullying is one of the topics Mr. Radke and Mr. Mittelstedt cover with the freshmen during orientation. They also discuss the issue with each class during the first day of school. Additionally, each homeroom teacher covers the school policy on bullying and Mr. Radke and Mr. Mittelstedt meet with the sophomores and freshmen in October to discuss bullying and technology safety. Mr. Mittelstedt handles 90% of the bullying reports and educating the students involved is always part of his process. I believe that is a big part of the reason we rarely have repeat offenders.

Huron Colony: Bullying is strictly prohibited in the school.

Riverside Colony: Bullying is strictly prohibited in the school

[illegible]

HHS	2	1	1					1					
Total	2	1	1					1					
January													
Buchanan													
Madison													
Washington													
HMS													
HHS	2	0											
Total	2	0											
February													
Buchanan													
Madison													
Washington	3	1	1					1					1
HMS	1	1	1					1					
HHS	4	0											
Total	8	2	2					2					1
March													
Buchanan													
Madison													
Washington													
HMS	2	0			2				1		1		
HHS	4	2	2					1				1	
Total	6	2	2		2			1	1		1	1	
April													
Buchanan													
Madison													
Washington													
HMS	2	2						2	2			2	
HHS													
Total	2	2						2	2			2	

May													
Buchanan													
Madison													
Washington													
HMS													
HHS	2	0											
Total	2	0											
Year end TOTAL	32	9	9	0	2	0	0	8	6	1	1	3	1

Huron School District Construction Change Order No. 1

Original Contract Amount:	\$ 1,484,921.00	Project Name:	Huron High School - Tennis Court Improvements			
Net Change by Previous CCOs:	\$ -	Contractor Name:	Rounds Construction Inc.			
Increase/Decrease this CCO:	\$ (122,644.00)	SEI No.:	22343			
Current Contract Amount:	\$ 1,362,277.00					




All CCO's must comply with South Dakota Codified Law 5-18B-19. To view the law in its entirety: <http://legis.state.sd.us/statutes/index.aspx>.

The following change in plans and/or specifications for the subject project is hereby made. Attach supporting documents as required.

	Line Item(s) or RFP #	Description of Proposed Work	Justification	Cost
1	RFP 1.1	Deduct Alternate #1 work due to investigation of pipe material verifying C900 PVC for the water service to the middle school and no replacement of the line is needed.	Unforeseen Condition	\$ (72,083.00)
2	RFP 1.2	Deduct watermain work due to investigation of the pipe material verifying the pipe is in good condition. Rerouting of the watermain is not necessary. Deduct includes restocking fees of pipe material already delivered to the site, material that cannot be returned, and additional potholing locations.	Unforeseen Condition	\$ (62,376.00)
3	RFP 1.3	Due to watermain staying in existing location, a spread footing is needed for the fence posts that go over top of the watermain to ensure the pipe is not disturbed.	Unforeseen Condition	\$ 11,815.00
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
See Attachment for Quantities and/or Justifications: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Net Increase/Decrease this Change Order: \$ (122,644.00)

Original Completion Date:	7/28/23	Net Time Change of Previous CCO's:	0	Time Change Due On This Change Order:	0	Revised Contract Completion Date:	N/A
Time Extension Justification:	N/A						

The changes contained in this Construction Change Order are made in accordance with the provisions of the contract for subject project, and when accepted by the Contractor and upon approval by the Owner, shall become part of said contract.

	Date	Signature
Architect/Engineer Recommendation	6/23/23	
Contractor Acceptance	6-22-23	
Owner Approval		

Project: Huron High School
Tennis Court Improvements
Location: Huron, SD

Owner: Huron School District 2-2
Engineer: Stockwell Engineers
Contractor: Rounds Construction Company, LLC

RFP # 1
SEI No: 22343
Issue Date: May 12, 2023

You are hereby requested to provide information for changes to the work as described below. **THIS IS NOT A CHANGE ORDER.** This request is for information only and is not an instruction either to stop work in progress or to execute the proposed change. Review the request and provide pricing and adjustments to contract time where requested. Quantities provided are estimated. All work shall meet the specifications of the current contract unless otherwise indicated.

Request #1.1: Alternate #1 – New Water Service

The Owner hereby requests information to deduct Alternate #1 – New Water Service. Deduct Cost shall be for all work related to the alternate #1 including removal of plan sheets C-101, C-211, C-301, C-402 & C-502.

CHANGE IN TIME		
X	No Change	
	Increase in Time (# of Calendar Days)	
	Decrease in Time (# of Calendar Days)	

CHANGE IN COST					
Item No	Description	Unit	QTY	Unit Price	Amount
2	(Deduct) Alternate #1 – New Water Service	LS	1	\$72,083.00	\$72,083.00
Total					\$72,083.00

Request #1.2: 8" PVC Water Main

The Owner hereby requests information to remove the 8" PVC water main from project. Deduct cost shall include all items related to the removal of the existing water line. (sheet C-300) and the installation of the 8" PVC water main, appurtenances, cathodic protection, and incidental items. (sheet C-401) Including removal of plan sheets C-603, C-604, C-612, C-613, C-615, C-616 & C-617.

Costs for potholing to verify utility and restocking fees of pipe already delivered to the site shall be factored into the full cost. Contractor shall provide documentation of restocking fees for reference.

CHANGE IN TIME		
X	No Change	
	Increase in Time (# of Calendar Days)	
	Decrease in Time (# of Calendar Days)	

CHANGE IN COST					
Item No	Description	Unit	QTY	Unit Price	Amount
(new)	(Deduct) Remove 8" PVC Water Main	LS	1	\$62,376.00	\$62,376.00
Total					\$62,376.00

Request for Proposal

Project: Huron High School
Tennis Court Improvements
Location: Huron, SD

Owner: Huron High School District 2-2
Engineer: Stockwell Engineers
Contractor: Rounds Construction Company, LLC

RFP # 1
SEI No: 22343
Date: May 12, 2023

Request #1.3: Continuous Footing

The Owner hereby requests information to add one location where the 12' chain link fence crosses the water main. (site plan sheet C-500)
Cost shall include all items related to the installation of a continuous footing over the existing 8" PVC water main. (Structural Details sheet S-103)

CHANGE IN TIME		
X	No Change	
	Increase in Time (# of Calendar Days)	
	Decrease in Time (# of Calendar Days)	

CHANGE IN COST					
Item No	Description	Unit	QTY	Unit Price	Amount
(new)	Continuous Footing	Each	1	\$11,815.00	\$11,815.00
Total					\$11,815.00

.....
END REQUEST

RESPONDING PARTY	
ROUNDS CONSTRUCTION COMPANY, LLC	
By:	Cole Doherty
Title:	Operations
Date:	6/21/2023



From: [Cole Doherty](#)
To: [Ben Wipf](#)
Subject: RE: Tennis Court
Date: Tuesday, June 6, 2023 11:57:00 AM
Attachments: [image001.png](#)

Thanks Ben!

From: Ben Wipf <benwipf@wipfexcavating.com>
Sent: Tuesday, June 6, 2023 11:57 AM
To: Cole Doherty <cole@roundsconstructioninc.com>
Subject: Fwd: Tennis Court

Here's an email from the waterline supplier showing the amount that couldn't be returned. It's due to the cathodic protection stuff, it's really rare to use that.

Thanks,

Ben Wipf
Wipf Excavating LLC
605-353-4351

Begin forwarded message:

From: cdmartyna@winsupplyinc.com
Date: June 6, 2023 at 11:45:09 AM CDT
To: Ben Wipf <benwipf@wipfexcavating.com>
Subject: Tennis Court

Ben,

Huron Tennis Court job


Due to the specialty items needed for this job, they can not be returned for credit. The amount of \$2160.00 is what was left over for the water line material.

Thank you

Chris Martyna
Winwater Sioux Falls SD CO
3221 N 1st Ave
Sioux Falls, SD 57104
C: 605-376-5965 / O: 605-333-2099
cdmartyna@winsupplyinc.com



This email message and any attachments is for use only by the named addressee(s) and may contain confidential, privileged and/or proprietary information. If you have received this message in error, please immediately notify the sender and delete and destroy the message and all copies. All unauthorized direct or indirect use or disclosure of this message is strictly prohibited. No right to confidentiality or privilege is waived or lost by any error in transmission.



LEGEND

- 1447' - EXISTING CONTOUR
- EXISTING TREE
- TREES TO BE REMOVED
- PROPERTY LINE
- 1447.50' - EXISTING SPOT ELEVATION
- CENTERLINE
- PROPERTY LINE
- G - NATURAL GAS
- UP - UNDERGROUND COMMUNICATION
- UP - UNDERGROUND POWER
- UP - OVERHEAD POWER
- UP - UNDERGROUND CABLE
- OT - OVERHEAD CABLE
- S - SANITARY SEWER
- CHP - STORM SEWER
- W - WATER MAIN
- C - CURB & GUTTER
- PO - POWER POLE
- LI - LIGHT POLE
- GW - GUY WIRE
- WV - WATER VALVE
- GV - GAS VALVE
- PH - FIRE HYDRANT
- ES - EXISTING SPOT ELEVATION
- BS - BENCHMARK
- FP - FOUND PIN
- FC - FENCE, CHAIN LINK
- FC - REMOVE CONCRETE PAVEMENT
- ST - STRIP & SALVAGE TOPSOIL
- ES - EXISTING ATHLETIC COURT SURFACING

- KEYNOTES**
1. REMOVE CHAIN LINK FENCING, POSTS, & CONCRETE MOW STRIP. POSTS SHALL BE CUT OFF AT TOP OF CONCRETE FOOTING & REMAINING POST IN FOOTING FILLED WITH FREE DRAINING MATERIAL.
 2. REMOVE EXISTING GATE.
 3. SALVAGE EXISTING BENCH TO OWNER FOR RESET.
 4. REMOVE FENCE SUPPORTS.
 5. REMOVE EXISTING DRAIN TILE.
 6. PREPARE TENNIS COURTS FOR ATHLETIC COURT RESURFACING.
 7. REPAIR SPALLING CONCRETE SURFACING PER ATHLETIC COURT SURFACING MANUFACTURER'S RECOMMENDATION.
 8. REPAIR CONCRETE JOINTS PER ATHLETIC COURT SURFACING MANUFACTURER'S RECOMMENDATION.
 9. REMOVE EXISTING WATER LINE.
 10. EXISTING NET TO BE SALVAGED AND RESET BY OWNER.


- NOTES**
1. REFERENCE SECTION NOTES FOR DESCRIPTION OF WORK BY OTHERS. COORDINATE EFFORTS WITH UTILITY OWNERS.
 2. PRIOR TO STARTING WORK, NOTIFY STATE ONE CALL SYSTEM AND OTHERWISE COORDINATE LOCATING SERVICES FOR UNDERGROUND FACILITIES. EXPOSE, LOCATE, AND RECORD ELEVATIONS OF ALL FACILITIES, WHETHER INDICATED OR NOT. NOTIFY ENGINEER AND UTILITY OWNER WHERE CONFLICTS ARE DISCOVERED. COORDINATE SCHEDULES WITH UTILITY OWNER AND ALLOW AMPLE TIME TO ACCESS SITE AND ADJUST FACILITIES.
 3. DO NOT INTERRUPT UTILITIES UNLESS THE WORK NECESSITATES. COORDINATE TEMPORARY FACILITIES AS NECESSARY.
 4. SAFEGUARD UNDERGROUND FACILITIES WHILE PERFORMING WORK. NOTIFY UTILITY OWNER OF DAMAGE.
 5. PRIOR TO START, COORDINATE AND SCHEDULE ENGINEER TO MARK REMOVAL LIMITS.
 6. INSTALL EROSION CONTROL DEVICES PRIOR TO START.
 7. REVIEW EXISTING STORM WATER RUNOFF PATTERNS AND FACILITIES. PROVIDE BARRIERS TO PREVENT FLOODING FROM HEAVY RAINS. PROTECT SANITARY SEWER FACILITIES FROM INFLOW.
 8. PROTECT EXISTING FACILITIES OTHERWISE INDICATED TO BE REMOVED OR ALTERED. REPAIR DAMAGE TO EXISTING FACILITIES.
 9. STRIP SITE OF TOPSOIL AND OTHER SURFACE STRATUM AS INDICATED ON THE DRAINAGE, STOCKPILE TOPSOIL AWAY FROM EXCAVATIONS, GRADES AND SHAPE STOCKPILES TO DRAIN SURFACE WATER, DISPOSE OF SURPLUS TOPSOIL.

STOCKWELL
 STOCKWELL ENGINEERING, INC.
 801 N. PHILLIPS AVE., SUITE 100
 HURON, SOUTH DAKOTA 57350
 PHONE: 605.328.4444
 FAX: 605.328.4738

**HURON HIGH SCHOOL
 TENNIS COURT IMPROVEMENTS
 HURON, SOUTH DAKOTA**
 SHEET NO. C-300

**EXISTING
 CONDITIONS &
 REMOVALS**

C-300



LEGEND

- - - - - 1/2" - UNDERGROUND POWER
- - - - - 1/2" - PROPOSED WATER MAIN
- - WATER MAIN BEND / TEE / REDUCER / CAP
- - SLEEVE / CROSS / PLUG
- - WATER MAIN VALVE / HYDRANT / CURB STOP
- - WATER MAIN SMITH TAP

NOTES

1. ELEVATIONS SHOWN ARE THEORETICAL. CONTRACTOR TO VERIFY ELEVATIONS AND ADJUSTMENTS BEFORE PROCEEDING TO LAYOUT THE WORK. REPORT DISCREPANCIES TO THE ENGINEER.
2. PRIOR TO STARTING WORK, NOTIFY STATE ONE CALL SYSTEM AND OTHERWISE COORDINATE LOCATING SERVICES FOR UNDERGROUND FACILITIES.
3. DO NOT INTERRUPT UTILITIES UNLESS THE WORK NECESSITATES. COORDINATE TEMPORARY FACILITIES WITH UTILITY OWNERS WHERE NECESSARY. SAFEGUARD UNDERGROUND FACILITIES WHILE PERFORMING WORK. NOTIFY UTILITY OWNER IF DAMAGED.
4. REMOVE, SEPARATE AND SET ASIDE TOPSOIL, GRAVEL, OR OTHER SURFACE STRATUM PRIOR TO TRENCHING AND PLACE AT SURFACE AFTER BACKFILL, REPLENISH DEFICIENT AREAS WITH NEW MATERIAL.
5. MAINTAIN SEPARATION AND COVER STANDARDS AS SPECIFIED. NOTIFY ENGINEER WHERE ADJUSTMENTS TO FACILITIES ARE NECESSARY TO MEET SPECIFICATIONS.
6. COORDINATE THE LOCATION OF ABOVE GROUND FACILITIES, SUCH AS VALVE BOXES AND HANDLE CASTINGS, WITH PAVEMENT JOINTING PLAN.
7. PRIOR TO BACKFILLING, RECORD THE LOCATION AND INVERT ELEVATION OF ALL PIPES, FITTINGS AND OTHER APPURTENANCES ON PROVIDED DRAWINGS. RECORD THE DISTANCE OF PIPE BETWEEN FITTINGS AND JOINTS. TIES TO BURIED CONNECTIONS. COMPLETE AND SUBMIT AS-BUILT MANUSCRIPTS TO ENGINEER UPON COMPLETION.

KEY NOTES

1. RELOCATE ELECTRICAL CONDUIT AND WORKING AS NECESSARY TO INSTALL PAVING, MEDIA STRIP, AND SHELTER POSTS. IN SOME CASES NEW WIRING & CONDUIT MAY NEED TO BE RE-INSTALLED FULLY FROM RENTURE TO CONTROL PANEL. ALL NEWLY INSTALLED WIRING & CONDUIT SHALL BE IN ACCORDANCE WITH THE QUALITY OF EXISTING MATERIALS. ALL WORK SHALL BE DONE BY A LICENSED ELECTRICIAN TO ALL LOCAL AND NATIONAL CODES.
2. RECORD DRAWINGS FOR LIGHTING INSTALLED INDICATE THERE ARE 2 EACH CONDUCTORS FROM EACH OF THE DISK'S LIGHTING HOLES TO THE CONTROL CABINET. RANGING IN SIZE FROM #8 TO #10 AWG DEPENDING ON DISTANCE FROM THE CABINET. CONDUIT SHALL BE INSTALLED A MINIMUM 42" BELOW FINISH GRADE WITH A MINIMUM 12" BELOW FINISH GRADE.




**HURON HIGH SCHOOL
TENNIS COURT IMPROVEMENTS**
HURON, SOUTH DAKOTA
JULY 2013



DATE: 7/1/2013
BY: CAD
CHECKED BY: JLD
DATE: 7/1/2013

**WATER MAIN
(BASE BID)**

C-401



0 10 20 40

LEGEND

- 1. 4" CONCRETE SIDEWALK ON 6" OF AGGREGATE BASE COURSE
- 2. 5" CONCRETE SIDEWALK ON 6" OF AGGREGATE BASE COURSE
- 3. POST-TENSION CONCRETE WITH ATHLETIC COURT SURFACING
- 4. 12" CHAIN LINK FENCE WITH 2' HIGH STRIP

NOTES

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL PUBLIC AND PRIVATE UTILITIES WHICH LIE WITHIN THE CONSTRUCTION AREA PRIOR TO ANY CONSTRUCTION. NOTIFY THE ENGINEER OF ANY DISCREPANCIES. SOUTH DAKOTA ONE CALL NOTIFICATION CENTER, 811.
2. THE CONTRACTOR SHALL CONSTRUCT ALL ITEMS WITHIN THIS CONTRACT IN ACCORDANCE WITH ALL STATE AND LOCAL CODES AND REGULATIONS. CONTRACTOR TO COORDINATE ALL WORK WITHIN THE PUBLIC RIGHT-OF-WAY OR STREETS WITH THE APPROPRIATE JURISDICTIONS.
3. THE CONTRACTOR SHALL REPORT TO THE OWNER ALL DAMAGE TO OWNERS PROPERTY AND UTILITIES PRIOR TO REPAIR.
4. CONTRACTOR TO VERIFY ALL SPOT ELEVATIONS FOR POSITIVE DRAINAGE BEFORE INSTALLATIONS.
5. WALK CROSS SLOPE MAY NOT EXCEED 2%.

KEYNOTES

1. 12' x 12' SHELTER.
2. 30' x 20' SHELTER.
3. 12' CHAIN LINK FENCE WITH CONCRETE MONSTREP.
4. 18" WIDE CHAIN LINK FENCE GATE.
5. TENSIS NET SYSTEM.
6. ATHLETIC COURT SURFACING OVER EXISTING POST TENSION CONCRETE.
7. ATHLETIC COURT SURFACING OVER NEWLY CONSTRUCTED POST TENSION CONCRETE.
8. ATHLETIC COURT SURFACING OVER 12" REINFORCED CONCRETE (14" @ 12" O.C. BOTH WAYS) BETWEEN EXISTING AND NEW POST TENSION CONCRETE SURFACING.
9. TENSIS COURT STRAPPING. SEE SHEET C-501.
10. 12' CHAIN LINK FENCE WITH SPREAD FOOTING WHERE FENCING CROSSES SANITARY SEWER AND WATER UTILITIES. SEE DETAIL SHEET S-101.
11. CORRECT PROPOSED 12' CHAIN LINK FENCE TO EXISTING 12' CHAIN LINK FENCE. REMOVE, RESET, AND CORRECT FENCING FABRIC AND FITTINGS AND SET NEW POSTS AS NECESSARY TO MAKE PROPER CONNECTION TO EXISTING FENCING TO OWNERS SATISFACTION.
12. PROVIDE OPENINGS IN TOP 2' OF CHAIN LINK FENCE TO PROVIDE ACCESS TO SPORTS LIGHTING ELECTRICAL COMPONENTS ENCLOSURE ON EACH LIGHT POLE AS NECESSARY. PROVIDE PROPER BRACING WITHIN ADDITIONAL RAILS AND SUPPORTS. LIGHT POLES SHALL BE IN THE MIDDLE BETWEEN POSTS TO MINIMIZE FENCE POST FOOTINGS COLLECTING WITH LIGHT POLE FOOTINGS AND COMPONENTS.



HURON HIGH SCHOOL TENNIS COURT IMPROVEMENTS HURON, SOUTH DAKOTA

DATE: 11/11/2019



DATE: 11/11/2019
BY: DGS
CHECKED BY: DGS
DATE: 11/11/2019

SITE PLAN

C-500

TN10

Competition Tennis System

PARTS LIST

Item	Qty	Description	Item	Qty	Description
A	1	Winch Post	E	1	TN10CS Center Court Held Down Strap
B	1	Non-Winch Post	F	1	TNCSA Center Strap Anchor
C	1	Removable Winch Handle	G	2	Lacing Cord
D	1	TN10N Tennis Net			

- Inspect all contents prior to installation. Report any missing parts to dealer immediately.
- Read all instructions before proceeding.




- Use the attached court diagram to determine where to locate and dig two 8" round and 48" deep holes 42 feet apart. See Figure 1.
- Insert *Winch* (A) and *Non-Winch* (B) posts into the holes with the lacing bars facing the tennis court and fill holes with concrete. Each hole will require between 6 and 8 1/3 cubic foot bag of concrete. Make sure to brace post while concrete is curing to maintain the 42 1/2" dimension and ensure the post remains perpendicular to the court surface. See Figure 1.
- Dig one 8" round and a minimum 12" deep hole centered between the two tennis posts (make sure to ball out the bottom of the hole). Insert *TNCSA Center Strap Anchor* (F) with the strap retaining bar running parallel with the *TN10N Net* (D) and fill hole with concrete. The hole will require 2 to 3 1/3 cubic bags of concrete. See Figure 2.
- Concrete must cure 7-10 days before continuing with *TN10N Tennis Net* (D) installation.

Note:
Use models VB23 or VB235 for removable post installation

- Stretch out *TN10N Tennis Net* (D) across the court.

- Hook the loop on the *TN10N Tennis Net* (D) top cable around the net retaining pin on *Non-Winch Post* (B) and over the top pulley. See Figure 3.

- Cut off loop and remove 12" of nylon cable coating from the top net cable, run cable over the top groove of the net cable pulley down the outside of the post. Insert cable into the winch cable hole on the *Winch Post* (A). Use the *Removable winch Handle* (C) to crank cable until you achieve 38" at the center of *TN10N Tennis Net* (D). See Figure 4.



HURON HIGH SCHOOL
TENNIS COURT IMPROVEMENTS
HURON, SOUTH DAKOTA
2500 WEST 13TH AVE., SUITE 200, DENVER, CO 80202, TEL: 303.733.8800, FAX: 303.733.8802



Rev. 02/2020
2/2/20
2/2/20

DETAILS

C-602